

Alizadeh M., Oladokun S., Fazel F., Fletcher C., Blake K., Sharif S., Rodriguez-Lecompte J.C.: Modulation of gut immunity and microbiota by *Bacteroides thetaiotaomicron* confers dose-dependent protection against necrotic enteritis in broiler chickens. *Poult. Sci.* 2026, 105, 106480.

Buiatte V., Schultheis M., Lorenzoni A.G.: Deconstruction of a multi-strain *Bacillus*-based probiotic used for poultry: an in vitro assessment of its individual components against *C. perfringens*. *BMC Res. Notes* 2023, 16, 117.

Emami N.K., Calik A., White M.B., Young M., Dalloul R.A.: Necrotic Enteritis in Broiler Chickens: The Role of Tight Junctions and Mucosal Immune Responses in Alleviating the Effect of the Disease. *Microorganisms* 2019, 7, 231.

Gharib-Naseri K., Dorigam J.C.P., Doranalli K., Kheravii S., Swick R.A., Choct M., Wu S.-B.: Modulations of genes related to gut integrity, apoptosis, and immunity underlie the beneficial effects of *Bacillus amyloliquefaciens* CECT 5940 in broilers fed diets with different protein levels in a necrotic enteritis challenge model. *J. Anim. Sci. Biotechnol.* 2020, 11, 104.

Gharib-Naseri K., Dorigam J.C.P., Doranalli K., Morgan N., Swick R.A., Choct M., Wu S.-B.: *Bacillus amyloliquefaciens* CECT 5940 improves performance and gut function in broilers fed different levels of protein and/or under necrotic enteritis challenge. *Anim. Nutr.* 2021, 7, 185-197.

Kupryś-Caruk M., Michalczyk M., Chabłowska B., Stefańska I., Kotyrba D., Parzeniecka-Jaworska M.: Efficacy and Safety Assessment of Microbiological Feed Additive for Chicken Broilers in Tolerance Studies. *J. Vet. Res.* 2018, 62, 57-64.

Ningsih N., Respati A.N., Astuti D., Triswanto T., Purnamayanti L., Yano A.A., Putra R.P., Jayanegara A., Ratriyanto A., Irawan A.: Efficacy of *Bacillus subtilis* to replace in-feed antibiotics of broiler chickens under necrotic enteritis-challenged experiments: a systematic review and meta-analysis. *Poult. Sci.* 2023, 102, 102923.

Olnood C.G., Beski S.S.M., Iji P.A., Choct M.: Delivery routes for probiotics: Effects on broiler performance, intestinal morphology and gut microflora. *Anim. Nutr.* 2015, 1, 192-202.

Qiu K., Li C.-L., Wang J., Qi G.-H., Gao J., Zhang H.-J., Wu S.-G.: Effects of Dietary Supplementation With *Bacillus subtilis*, as an Alternative to Antibiotics, on Growth Performance, Serum Immunity, and Intestinal Health in Broiler Chickens. *Front. Nutr.* 2021, 8, 786878.

Wang H., Ni X., Liu L., Zeng D., Lai J., Qing X., Li G., Pan K., Jing B.: Controlling of growth performance, lipid deposits and fatty acid composition of chicken meat through a probiotic, *Lactobacillus johnsonii* during subclinical *Clostridium perfringens* infection. *Lipids Health Dis.* 2017, 16, 38.

Wang Y., Xu Y., Cao G., Zhou X., Wang Q., Fu A., Zhan X.: *Bacillus subtilis* DSM29784 attenuates *Clostridium perfringens*-induced intestinal damage of broilers by modulating intestinal microbiota and the metabolome. *Front. Microbiol.* 2023, 14, 1138903.

Whelan R.A., Doranalli K., Rinttilä T., Vienola K., Jurgens G., Apajalahti J.: The impact of *Bacillus subtilis* DSM 32315 on the pathology, performance, and intestinal microbiome of broiler chickens in a necrotic enteritis challenge. *Poult. Sci.* 2019, 98, 3450-3463.

Zhao Y., Zeng D., Wang H., Qing X., Sun N., Xin J., Luo M., Khalique A., Pan K., Shu G., Jing B., Ni X.: Dietary Probiotic *Bacillus licheniformis* H2 Enhanced Growth Performance, Morphology of Small Intestine and Liver, and Antioxidant Capacity of Broiler Chickens Against *Clostridium perfringens*-Induced Subclinical Necrotic Enteritis. *Probiotics Antimicrob. Proteins* 2020, 12, 883-895.

Zhao Y., Zeng Y., Zeng D., Wang H., Sun N., Xin J., Zhou M., Yang H., Lei L., Ling H., Khalique A., Rajput D.S., Gan B., Wan Z., Yao Z., Fang J., Pan K., Shu G., Jing B., Zhang D., Ni X.: Dietary Probiotic Supplementation Suppresses Subclinical Necrotic

Enteritis in Broiler Chickens in a Microbiota-Dependent Manner.
Front. Immunol. 2022, 13, 855426.